



Wallbarn - Technical Datasheet

EPDM Circular Outlet (Perforated Flange)



Product Description

This EPDM Circular Outlet has the function of connecting the waterproof roofing felts with rain water drains. The slightly conical shape enables fast and simple installation in rain water drains. It has a flange with perforations to improve adhesion to the bituminous membranes. They have a series of rings on the shank which act as a drain-trap between the connector and the rain water drain.

Compatibility

They are compatible with EPDM or bituminous membranes.

Performance

Resistant to deterioration by the sun, ozone and normal atmospheric conditions. They have excellent flexibility even at low temperatures and will not become brittle. The mechanical properties are maintained in the long term.

Operating Temperatures

-20°C; +70°C

Recycled Product

No

Material

EPDM-V

Recyclable


No

Wallbarn Ltd
Unit 16 Capital Business Centre
22 Carlton Road, South Croydon. CR2 0BS

IMS.T.1080.v2



Wallbarn - Technical Datasheet



Product Code	Description	A	B	C	D	E	F
RO-EPDM-090-050-250-040-Z	EPDM Circular Roof Outlet (perforated flange) - H250mm - D40mm	248	28	25	34	34	250
RO-EPDM-090-050-250-050-Z	EPDM Circular Roof Outlet (perforated flange) - H250mm - D50mm	258	38	35	44	44	250
RO-EPDM-090-050-250-060-Z	EPDM Circular Roof Outlet (perforated flange) - H250mm - D60mm	271	51	48	57	57	250
RO-EPDM-090-050-250-075-Z	EPDM Circular Roof Outlet (perforated flange) - H250mm - D75mm	280	63	60	69	69	250
RO-EPDM-090-050-250-080-Z	EPDM Circular Roof Outlet (perforated flange) - H250mm - D80mm	332	68	65	74	74	250
RO-EPDM-090-050-250-090-Z	EPDM Circular Roof Outlet (perforated flange) - H250mm - D90mm	332	77	74	83	83	250

Wallbarn Ltd


IMS.T.1080.v2

Unit 16 Capital Business Centre
22 Carlton Road, South Croydon. CR2 0BS

Phone : 0208 916 2222 Email : sales@wallbarn.com Website : www.wallbarn.com



Wallbarn - Technical Datasheet



Product Code	Description	A	B	C	D	E	F
RO-EPDM-090-050-250-100-Z	EPDM Circular Roof Outlet (perforated flange) - H250mm - D100mm	332	88	85	94	94	250
RO-EPDM-090-050-250-110-Z	EPDM Circular Roof Outlet (perforated flange) - H250mm - D110mm	332	98	95	104	104	250
RO-EPDM-090-050-250-125-Z	EPDM Circular Roof Outlet (perforated flange) - H250mm - D125mm	332	113	110	119	119	250
RO-EPDM-090-050-250-140-Z	EPDM Circular Roof Outlet (perforated flange) - H250mm - D140mm	347	128	125	134	134	250
RO-EPDM-090-050-250-160-Z	EPDM Circular Roof Outlet (perforated flange) - H250mm - D160mm	367	148	145	154	154	250
RO-EPDM-090-050-250-200-Z	EPDM Circular Roof Outlet (perforated flange) - H250mm - D200mm	406	186	183	192	192	250

Wallbarn Ltd

IMS.T.1080.v2

Unit 16 Capital Business Centre
22 Carlton Road, South Croydon. CR2 0BS

Phone : 0208 916 2222 Email : sales@wallbarn.com Website : www.wallbarn.com