



Wallbarn - Technical Datasheet

PVC Circular Roof Outlet 600mm



Product Description

PVC circular downpipe outlets designed to be welded to synthetic PVC roofing membranes around roof drainage downpipes. The flange is soft and floppy and easy to manipulate. The flange is smooth to improve the bond and welding should only be carried out with a hot air gun, not a naked flame.

The slightly conical shape of the spigot enables fast and simple installation into drainpipes. Always prime the outlet and membrane before installation.

Compatibility

They are compatible with single ply PVC membranes.

Performance

Resistant to deterioration by the sun, ozone and normal atmospheric conditions. They have excellent flexibility even at low temperatures and will not become brittle. The mechanical properties are maintained in the long term.

Operating Temperatures

-20°C; +70°C

Recycled Product

No

Material

PVC

Recyclable

Yes


Wallbarn Ltd
Unit 16 Capital Business Centre
22 Carlton Road, South Croydon. CR2 0BS

IMS.T.1065.v2

Phone : 0208 916 2222 Email : sales@wallbarn.com Website : www.wallbarn.com



Wallbarn - Technical Datasheet



Product Code	Description	A	B	C	D	E	F
RO-PVC-120-150-600-080-Z	PVC Extra Long Circ.Outlet (smooth flange) H600mm - D80mm	286	65	63	72	70	600
RO-PVC-120-150-600-090-Z	PVC Extra Long Circ.Outlet (smooth flange) H600mm - D90mm	286	74	72	81	79	600
RO-PVC-120-150-600-100-Z	PVC Extra Long Circ.Outlet (smooth flange) H600mm - D100mm	286	85	83	92	90	600
RO-PVC-120-150-600-110-Z	PVC Extra Long Circ.Outlet (smooth flange) H600mm - D110mm	307	93	91	100	98	600
RO-PVC-120-150-600-125-Z	PVC Extra Long Circ.Outlet (smooth flange) H600mm - D125mm	307	107	105	114	112	600

Wallbarn Ltd


IMS.T.1065.v2

Unit 16 Capital Business Centre
22 Carlton Road, South Croydon. CR2 0BS

Phone : 0208 916 2222 Email : sales@wallbarn.com Website : www.wallbarn.com



Wallbarn - Technical Datasheet



Product Code	Description	A	B	C	D	E	F
RO-PVC-120-150-600-140-Z	PVC Extra Long Circ.Outlet (smooth flange) H600mm - D140mm	360	125	123	132	130	600
RO-PVC-120-150-600-150-Z	PVC Extra Long Circ.Outlet (smooth flange) H600mm - D150mm	360	135	133	142	140	600
RO-PVC-120-150-600-160-Z	PVC Extra Long Circ.Outlet (smooth flange) H600mm - D160mm	360	138	136	145	143	600
RO-PVC-120-150-600-200-Z	PVC Extra Long Circ.Outlet (smooth flange) H600mm - D200mm	360	178	176	185	183	600

Wallbarn Ltd
 Unit 16 Capital Business Centre
 22 Carlton Road, South Croydon. CR2 0BS

IMS.T.1065.v2

Phone : 0208 916 2222 Email : sales@wallbarn.com Website : www.wallbarn.com