



Wallbarn - Technical Datasheet

PVC Circular Roof Outlet (Smooth Flange)



Product Description

Circular PVC drain connector designed to be welded to prefabricated synthetic PVC waterproofing membranes to connect to downpipe rainwater drains. They have a smooth flange to improve welding to the membrane; they have two rings on the outside of the shank which acts as drain trap to help seal the gap between the drainage outlet itself and the rainwater drain. The shank is slightly tapered to help installation into the drainpipe.

Compatibility

They are compatible with most PVC membranes.

Performance

Resistant to deterioration by the sun, ozone and normal atmospheric conditions. They have excellent flexibility even at low temperatures and will not become brittle. The mechanical properties are maintained in the long term.

Operating Temperatures

-20°C; +70°C

Recycled Product

No

Material

PVC

Recyclable

Yes


Wallbarn Ltd
Unit 16 Capital Business Centre
22 Carlton Road, South Croydon. CR2 0BS

IMS.T.1064.v2

Phone : 0208 916 2222 Email : sales@wallbarn.com Website : www.wallbarn.com



Wallbarn - Technical Datasheet



Product Code	Description	A	B	C	D	E	F
RO-PVC-120-040-240-040-Z	PVC Circular Roof Outlet (smooth flange) H240mm - D40mm	235	26	24	33	29	243
RO-PVC-120-040-240-060-Z	PVC Circular Roof Outlet (smooth flange) H240mm - D60mm	235	48	43	53	48	243
RO-PVC-120-040-240-075-Z	PVC Circular Roof Outlet (smooth flange) H240mm - D75mm	320	65	61	70	66	243
RO-PVC-120-040-240-080-Z	PVC Circular Roof Outlet (smooth flange) H240mm - D80mm	280	69	64	74	69	243
RO-PVC-120-040-240-090-Z	PVC Circular Roof Outlet (smooth flange) H240mm - D90mm	320	77	73	82	78	243
RO-PVC-120-040-240-100-Z	PVC Circular Roof Outlet (smooth flange) H240mm - D100mm	300	89	84	94	89	243

Wallbarn Ltd


IMS.T.1064.v2

Unit 16 Capital Business Centre
22 Carlton Road, South Croydon. CR2 0BS

Phone : 0208 916 2222 Email : sales@wallbarn.com Website : www.wallbarn.com



Wallbarn - Technical Datasheet



Product Code	Description	A	B	C	D	E	F
RO-PVC-120-040-240-110-Z	PVC Circular Roof Outlet (smooth flange) H240mm - D110mm	320	91	87	97	92	243
RO-PVC-120-040-240-125-Z	PVC Circular Roof Outlet (smooth flange) H240mm - D125mm	320	114	109	119	114	243
RO-PVC-120-040-240-140-Z	PVC Circular Roof Outlet (smooth flange) H240mm - D140mm	380	127	122	132	127	243
RO-PVC-120-040-240-150-Z	PVC Circular Roof Outlet (smooth flange) H240mm - D150mm	380	136	131	141	136	243
RO-PVC-120-040-240-160-Z	PVC Circular Roof Outlet (smooth flange) H240mm - D160mm	380	146	141	151	146	243
RO-PVC-120-040-240-200-Z	PVC Circular Roof Outlet (smooth flange) H240mm - D200mm	440	185	180	190	185	243

Wallbarn Ltd

IMS.T.1064.v2

Unit 16 Capital Business Centre
22 Carlton Road, South Croydon. CR2 0BS

Phone : 0208 916 2222 Email : sales@wallbarn.com Website : www.wallbarn.com